

# Crompton

Cooling nahi,  
*jaldi cooling*



COOLING SOLUTIONS 20



**Smaṛket**  
The ESD Marketplace  
[www.smaṛket.in](http://www.smaṛket.in)

**Crompton**

Cooling nahi,  
*jaldi cooling.*



**SmaKet**  
The ESD Marketplace  
[www.smaKet.in](http://www.smaKet.in)



**Smaṛket**

The ESD Marketplace


[www.smaṛketonline.in](http://www.smaṛketonline.in)

## CHOOSING THE RIGHT COOLER

The below pointers can assist you to arrive at the right model.

Selecting the right cooler for your place can be a bit tricky.

- Air Delivery denotes the total air in the room that gets changed every 2 minutes.
- Usually, air delivery is mentioned in cubic meter per hour ( $m^3/hr$ ).
- All you need to know is the length, width and height of your room to figure out how much air flow is needed in your room.



Use the below mentioned formula to calculate the air delivery required for your room:

$$\frac{\text{ROOM LENGTH} \times \text{ROOM WIDTH} \times \text{ROOM HEIGHT}}{2 \times 0.588578}$$

For example: If length, width and height of your room is 14ft, 12ft and 10ft respectively, then your requirement is  $14 \times 12 \times 10 / 2 / 0.588578 = 1427 m^3/hr$ .

## WATER STORAGE CAPACITY CHART

To avoid inconvenience of filling the tank multiple times, follow the below table for ideal size of water storage capacity your cooler should have. This is an indicative chart. Certain coolers are provided with auto-fill systems for continuous water supply.

Area (in sq.ft)	Storage Capacity (in Ltrs.)
Upto 160	15
161 - 300	25
301 - 614	40
615 - 860	55+

## COOLING PADS

Coolers use two types of cooling pads:

### HONEYCOMB COOLING PAD



Honeycomb Cooling Pads are made of cellulose material. They are high density pads that can absorb and retain more water giving maximum cooling comfort. They have longer life and are low on maintenance.

### WOOD WOOL COOLING PAD



Wood Wool Cooling Pads are made from wood shavings. They are cheaper but need maintenance and have shorter life.

# OPTIMUS 65IoT

Better Performance With  
Bearing Motor



65

litres capacity

5500

m<sup>3</sup>/hr air delivery

650

sq.ft area coverage

High Density  
Honeycomb Pads

Length : 705

Width : 470

Height : 1170  
(in mm)



**Smart IOT Enabled**

**Operations**

For convenience and  
ease of use



**Amazon Alexa**



**Google Home**



**PureShield**

For heathy environment



**Mobile App**



**Best in  
Highest  
cooler**



**SmaMarket**

The 500 Marketers

[www.smarket.in](http://www.smarket.in)

## OPTIMUS 65I

Better Performance With  
Bearing Motor



65

litres capacity

5500

m<sup>3</sup>/hr air delivery

650

sq.ft area coverage

High Density  
Honeycomb Pads

Length : 705

Width : 470

Height : 1170  
(in mm)

**Digital Operations**

For convenience and ease of use

**Best in Class Air Delivery**

Highest air flow in desert cooler segment

**EverLast Pump**

Works even with hard water

**Large & Easy Clean****Ice Chamber**

For convenience &amp; hygiene

**Humidity Control**

Adjust cooling to your comfort

**Auto Drain Function**

For effortless water draining

A  
F**SmaMarket**

The 500 Marketers

[www.smarket.in](http://www.smarket.in)

# OPTIMUS 65

Better Performance With  
Bearing Motor



65

litres capacity

5500

m<sup>3</sup>/hr air delivery

650

sq.ft area coverage

High Density  
Honeycomb Pads

Length : 705

Width : 470

Height : 1170  
(in mm)



**Best in Class Air Delivery**  
Highest air flow in desert cooler segment



**EverLast Pump**  
Works even with hard water



**Large & Easy Clean Ice Chamber**  
For convenience & hygiene



**Humidity Control**  
Adjust cooling to your comfort



**Auto Drain Function**  
For effortless water draining



A  
F



**SmaMarket**  
The B2B Marketplace  
[www.smarket.in](http://www.smarket.in)



# OPTIMUS 100

Better Performance With  
Bearing Motor



100

litres capacity

5500

m<sup>3</sup>/hr air delivery

650

sq.ft area coverage

High Density  
Honeycomb Pads

Length : 705

Width : 470

Height : 1235  
(in mm)



**Best in Class Air Delivery**  
Highest air flow in desert cooler segment



**EverLast Pump**  
Works even with hard water



**Large & Easy Clean  
Ice Chamber**  
For convenience & hygiene



**Humidity Control**  
Adjust cooling to your comfort



**Auto Drain Function**  
For effortless water draining



**Smaṛket**  
The ESD Marketplace  
[www.smarket.in](http://www.smarket.in)

**NEW**  
**OPTIMUS 125**

Better Performance With  
Bearing Motor



125

litres capacity

5500

m<sup>3</sup>/hr air delivery

650

sq.ft area coverage

High Density  
Honeycomb Pads

Length : 705

Width : 470

Height : 1380  
(in mm)



**Best in Class Air Delivery**  
Highest air flow in desert cooler segment



**EverLast Pump**  
Works even with hard water



**Large & Easy Clean Ice Chamber**  
For convenience & hygiene



**Humidity Control**  
Adjust cooling to your comfort



**Auto Drain Function**  
For effortless water draining



**SmaRket**  
The 500 Marketers  
[www.smarket.in](http://www.smarket.in)

# OZONE 55

Better Performance With  
Bearing Motor



55

litres capacity

4200

m<sup>3</sup>/hr air delivery

490

sq.ft area coverage

High Density  
Honeycomb Pads

Length : 620  
Width : 410  
Height : 1110  
(in mm)



**EverLast Pump**  
Works even with hard water



**Auto-Fill**  
For continuous water feed



**Motor with Overload Protection**  
For safety of motor and pump



**4 Way Air Deflecti**  
For adjusting air s  
direction as per y



**SmaKet**  
The 500 Marketers  
[www.smarket.in](http://www.smarket.in)

## OZONE 75

Better Performance With  
Bearing Motor



75

litres capacity

4200

m<sup>3</sup>/hr air delivery

490

sq.ft area coverage

High Density  
Honeycomb Pads

Length : 620

Width : 410

Height : 1180  
(in mm)



**EverLast Pump**  
Works even with hard water



**Auto-Fill**  
For continuous water feed



**Motor with Overload Protection**  
For safety of motor and pump



**4 Way Air Deflecti**  
For adjusting air s  
direction as per yc



**SmaKet**  
The ESD Marketplace  
[www.smaKet.in](http://www.smaKet.in)

# OZONE 88

Better Performance With  
Bearing Motor



88

litres capacity

4200

m<sup>3</sup>/hr air delivery

490

sq.ft area coverage

High Density  
Honeycomb Pads

Length : 600

Width : 410

Height : 1210  
(in mm)



**EverLast Pump**  
Works even with hard water



**Auto-Fill**  
For continuous water feed



**Motor with Overload Protection**  
For safety of motor and pump



**4 Way Air Deflect**  
For adjusting air s direction as per yc



**Smaṛket**  
The ESD Marketplace  
[www.smaṛket.in](http://www.smaṛket.in)

**NEW**

# OZONE CLASSIC H 55

Better Performance With  
Bearing Motor



55

litres capacity

3800

m<sup>3</sup>/hr air delivery

410

sq.ft area coverage

Honeycomb Pads

Length : 620

Width : 410

Height : 1110  
(in mm)



**EverLast Pump**

Works even with hard water



**Auto-Fill**

For continuous water feed



**Motor with Overload Protection**

For safety of motor and pump



**4 Way Air Deflecto**

For adjusting air st direction as per yo



**SmaKet**

The 500 Marketers

[www.smaKet.com.in](http://www.smaKet.com.in)

# COOL BREEZE DAC 53

Better Performance With  
Bearing Motor



53

litres capacity

5000

m<sup>3</sup>/hr air delivery

590

sq.ft area coverage

Honeycomb  
Pads

Length : 685

Width : 500

Height : 1145  
(in mm)



#### EverLast Pump

Works even with hard water



#### Auto-Fill

For continuous water feed



#### Motor with Overload Protection

For safety of  
motor and pump



#### 4 Way Air Deflection

For adjusting air stream  
direction as per your need



#### Easy Clean Ice Chamber

For convenience & hygiene



SmaMarket

The 500 Marketers

[www.smarket.in](http://www.smarket.in)

## COOL BREEZE DAC 80

Better Performance With  
Bearing Motor



80

litres capacity

5000

m<sup>3</sup>/hr air delivery

590

sq.ft area coverage

Honeycomb  
Pads

Length : 685

Width : 500

Height : 1235  
(in mm)



### EverLast Pump

Works even with hard water



### Auto-Fill

For continuous water feed



### Motor with Overload Protection

For safety of motor and pump



### 4 Way Air Deflection

For adjusting air stream direction as per your need



### Easy Clean Ice Chamber

For convenience & hygiene



SmaMarket

The 500 Marketers

[www.smarketonline.in](http://www.smarketonline.in)



## GALE DAC 60



60

litres capacity

4000

m<sup>3</sup>/hr air delivery

470

sq.ft area coverage

Honeycomb  
Pads

Length : 620

Width : 420

Height : 1115  
(in mm)



### EverLast Pump

Works even with hard water



### Auto-Fill

For continuous water feed



### Motor with Overload Protection

For safety of motor and pump



### 4 Way Air Deflection

For adjusting air stream direction as per your need



### Easy Clean Ice Chamber

For convenience & hygiene



**Smaṛket**

The 500 Marketers

[www.smarket.in](http://www.smarket.in)

## GALE DAC 90



90

litres capacity

4000

m<sup>3</sup>/hr air delivery

470

sq.ft area coverage

Honeycomb  
Pads

Length : 620

Width : 420

Height : 1200  
(in mm)



**EverLast Pump**

Works even with hard water



**Auto-Fill**

For continuous water feed



**Motor with Overload Protection**

For safety of motor and pump



**4 Way Air Deflection**

For adjusting air stream direction as per your need



**Easy Clean Ice Chamber**

For convenience & hygiene



**SmaKet**

The 500 Marketers  
[www.smaKet.in](http://www.smaKet.in)

# ZELUS DAC 28

Better Performance With  
Bearing Motor



28

litres capacity

2350

m<sup>3</sup>/hr air delivery

280

sq.ft area coverage

High Density  
Honeycomb Pads

Length : 520

Width : 350

Height : 865  
(in mm)



**EverLast Pump**

Works even with hard water



**4 Way Air Deflection**

For adjusting air stream  
direction as per your need



**Motor with Overload  
Protection**

For safety of  
motor and pump



**Auto Swing Louvers**

With motorised vertical  
louver movement



**Large & Easy Clean  
Ice Chamber**

For convenience & hygiene



**Smark**

The 500 Marketers

[www.smark.in](http://www.smark.in)

## ZELUS DAC 43

Better Performance With  
Bearing Motor



43

litres capacity

2350

m<sup>3</sup>/hr air delivery

280

sq.ft area coverage

High Density  
Honeycomb Pads

Length : 520  
Width : 350  
Height : 990  
(in mm)



**EverLast Pump**

Works even with hard water



**4 Way Air Deflection**

For adjusting air stream  
direction as per your need



**Motor with Overload  
Protection**

For safety of  
motor and pump



**Auto Swing Louvers**

With motorised vertical  
louver movement



**Large & Easy Clean  
Ice Chamber**

For convenience & hygiene



**SmaKet**

The 500 Marketers  
[www.smaket.co.in](http://www.smaket.co.in)

**NEW****ZELUS ROYALE DAC 43****Better Performance With  
Bearing Motor****43**

litres capacity

**2250**m<sup>3</sup>/hr air delivery**260**

sq.ft area coverage

High Density  
Honeycomb Pads

Length : 520

Width : 350

Height : 995

(in mm)

**EverLast Pump**

Works even with hard water

**4 Way Air Deflection**For adjusting air stream  
direction as per your need**Auto-Fill**

For continuous water feed


**Auto Swing Louvers**With motorised vertical  
louver movement**Motor with Overload  
Protection**For safety of  
motor and pump**SmaMarket**

The 500 Marketers

[www.smarket.in](http://www.smarket.in)

## SCALE COMPARISON CHART

### DESERT COOLERS



Height - 117 cms




Height - 117 cms



Parameters	Optimus 65iOT	Optimus 65i
Suitable Room Size (sq.ft)	650	650
Blower / Fan	Fan	Fan
Wattage (W)	200	200
Tank Capacity (L)	65	65
Air Delivery (m <sup>3</sup> / hr)	5500	5500
IOT / Digital / Manual Operation	IOT	Digital
Remote Control	Yes	Yes
Pureshield	Yes	NA
Ice Chamber	Yes	Yes
Easy Access Distribution Tray	Yes	Yes
Everlast Pump	Yes	Yes
Humidity Control	Yes	Yes
Auto Drain	Yes	Yes
Auto Fill	Yes	Yes
Mosquito Nets	Yes	Yes
Fully Collapsible Louvers	Yes	Yes
Cooling Media	High Density Honeycomb Pads	High Density Honeycomb Pads
Product Dimensions	L - 705 W - 470 H - 1170 (in mm)	L - W - H - (in





Height - 123.5 cms



Height - 138 cms




Height - 117 cms



Parameters	Optimus 100	Optimus 125	Optimus 65
Suitable Room Size (sq.ft)	650	650	650
Blower / Fan	Fan	Fan	Fan
Wattage (W)	200	200	200
Tank Capacity (L)	100	125	65
Air Delivery (m <sup>3</sup> / hr)	5500	5500	5500
IOT / Digital / Manual Operation	Manual	Manual	Manual
Remote Control	NA	NA	NA
Pureshield	NA	NA	NA
Ice Chamber	Yes	Yes	Yes
Easy Access Distribution Tray	Yes	Yes	Yes
Everlast Pump	Yes	Yes	Yes
Humidity Control	Yes	Yes	Yes
Auto Drain	Yes	Yes	Yes
Auto Fill	Yes	Yes	Yes
Mosquito Nets	Yes	Yes	Yes
Fully Collapsible Louvers	Yes	Yes	Yes
Cooling Media	High Density Honeycomb Pads	High Density Honeycomb Pads	High Density Honeycomb Pads
Product Dimensions	L - 705 W - 470 H - 1235 (in mm)	L - 705 W - 470 H - 1380 (in mm)	





Height - 111 cms



Height - 118 cms




Height - 121 cms



Ozone 55	Ozone 75	Ozone 88
490	490	490
Fan	Fan	Fan
190	190	190
55	75	55
4200	4200	4200
Manual	Manual	Manual
NA	NA	NA
NA	NA	NA
Yes	Yes	Yes
NA	NA	NA
Yes	Yes	Yes
NA	NA	NA
NA	NA	NA
Yes	Yes	Yes
NA	NA	NA
NA	NA	NA
High-Density Honeycomb Pads	High Density Honeycomb Pads	High Density Honeycomb Pads
L - 620 W - 410 H - 1110 (in mm)	L - 620 W - 410 H - 1180 (in mm)	

Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change.





Height - 111 cms



Height - 114.5 cms



Height - 123.5 cms



Parameters	Ozone Classic H55	Cool Breeze DAC 53	Cool Breeze DAC 80
Suitable Room Size (sq.ft)	490	588	588
Blower / Fan	Fan	Fan	Fan
Wattage (W)	150	200	200
Tank Capacity (L)	55	53	80
Air Delivery (m <sup>3</sup> / hr)	3800	5000	5000
OT / Digital / Manual Operation	Manual	Manual	Manual
Remote Control	NA	No	No
Pureshield	NA	No	No
Ice Chamber	Yes	Yes	Yes
Easy Access Distribution Tray	NA	No	No
Everlast Pump	Yes	Yes	Yes
Humidity Control	NA	No	No
Auto Drain	NA	No	No
Auto Fill	Yes	No	No
Mosquito Nets	NA	No	No
Fully Collapsible Louvers	NA	No	No
Cooling Media	Honeycomb Pads	Honeycomb Pads	Honeycomb Pads
Product Dimensions	L - 620 W - 410 H - 1110 (in mm)	L - 685 W - 500 H - 1145 (in mm)	



Height - 111.5 cms



Height - 120 cms



Height - 86.5 cms



Height - 96 cms



Height - 99.5 cms



Gale DAC 60	Gale DAC 90	Zelus DAC 28	Zelus DAC 43	Zelus Royale DAC 43
470	470	277	277	260
Fan	Fan	Fan	Fan	Fan
150	150	105	105	105
60	90	28	43	43
4000	4000	2350	2350	2250
Manual	Manual	Manual	Manual	Manual
No	No	No	No	No
No	No	No	No	No
Yes	Yes	Yes	Yes	Yes
No	No	No	No	No
Yes	Yes	Yes	Yes	Yes
No	No	No	No	No
No	No	No	No	No
No	No	No	No	Yes
No	No	No	No	No
Yes	Yes	Yes	Yes	Yes
Honeycomb Pads	Honeycomb Pads	High Density Honeycomb Pads	High Density Honeycomb Pads	High Density Honeycomb Pads
L - 620 W - 420 H - 1115 (in mm)	L - 620 W - 420 H - 1200 (in mm)	L - 520 W - 350 H - 865 (in mm)	L - 520 W - 350 H - 960 (in mm)	

Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change

# GINIE NEO



10  
litres capacity

650  
m<sup>3</sup>/hr air delivery

80  
sq.ft area coverage

High Density  
Honeycomb Pads

Length : 285  
Width : 265  
Height : 515  
(in mm)



**Mosquito Nets**  
Ensures health & hygiene



**Motor with Overload Protection**  
For safety of motor and pump



**4 Way Air Deflection**  
For adjusting air stream direction as per your need



**Auto Swing Louver**  
With motorised louver movement

## JEDI PAC 16

Better Performance With  
Bearing Motor



16

litres capacity

1200

m<sup>3</sup>/hr air delivery

150

sq.ft area coverage

Honeycomb  
Pads

Length : 400

Width : 290

Height : 655  
(in mm)



**EverLast Pump**

Works even with hard water



**Motor with Overload Protection**

For safety of motor and pump



**4 Way Air Deflection**

For adjusting air stream direction as per your need



**Auto Swing Louve**

With motorised ve louver movement



**SmaRket**

The 500 Marketers  
[www.smarket.in](http://www.smarket.in)

## JEDI PAC 22

Better Performance With  
Bearing Motor



22

litres capacity

1200

m<sup>3</sup>/hr air delivery

150

sq.ft area coverage

Honeycomb  
Pads

Length : 400  
Width : 290  
Height : 765  
(in mm)



**EverLast Pump**

Works even with hard water



**Motor with Overload Protection**

For safety of motor and pump



**4 Way Air Deflection**

For adjusting air stream direction as per your need



**Auto Swing Louver**

With motorised ver louver movement



**Smaṛket**

The B2B Marketplace

[www.smaṛket.in](http://www.smaṛket.in)

## JEDI PAC 35

Better Performance With  
Bearing Motor



35

litres capacity

1200

m<sup>3</sup>/hr air delivery

150

sq.ft area coverage

High Density  
Honeycomb Pads

Length : 400

Width : 290

Height : 852  
(in mm)



**EverLast Pump**

Works even with hard water



**4 Way Air Deflection**

For adjusting air stream  
direction as per your need



**Motor with Overload  
Protection**

For safety of  
motor and pump



**Auto Swing Louver**

With motorised ve  
louver movement



**SmaKet**

The 500 Marketers

[www.smarket.in](http://www.smarket.in)

# MARVEL NEO 23

Better Performance With  
Bearing Motor



23

litres capacity

1300

m<sup>3</sup>/hr air delivery

150

sq.ft area coverage

High Density  
Honeycomb Pads

Length : 490  
Width : 380  
Height : 775  
(in mm)



**EverLast Pump**  
Works even with hard water



**Motor with Overload Protection**  
For safety of motor and pump



**Auto Swing Louvers**  
With motorised vertical louver movement



**4 Way Air Deflectic**  
For adjusting air direction as per you

# MARVEL NEO 40

Better Performance With  
Bearing Motor



40

litres capacity

1300

m<sup>3</sup>/hr air delivery

150

sq.ft area coverage

High Density  
Honeycomb Pads

Length : 490  
Width : 380  
Height : 915  
(in mm)



**EverLast Pump**  
Works even with hard water



**Motor with Overload Protection**  
For safety of motor and pump



**Auto Swing Louvers**  
With motorised vertical louver movement




**4 Way Air Deflect**  
For adjusting air s direction as per yc



## SCALE COMPARISON CHART

## PERSONAL COOLERS



Height - 51.5 cms



Height - 71.0 cms



Parameters	Ginie Neo	Jedi PAC 16
Suitable Room Size (sq.ft)	80	150
Blower / Fan	Blower	Blower
Wattage (W)	130	130
Tank Capacity (L)	10	16
Air Delivery (m <sup>3</sup> / hr)	650	1200
IOT / Digital / Manual Operation	Manual	Manual
Remote Control	NA	NA
Ice Chamber	Yes	Yes
Easy Access Distribution Tray	NA	NA
Everlast Pump	NA	Yes
Auto Fill	NA	NA
Mosquito Nets	Yes	NA
Fully Collapsible Louvers	NA	NA
Cooling Media	High Density Honeycomb Pads	Honeycomb Pads
Product Dimensions	L - 285 W - 265 H - 515 (in mm)	



Height - 79.0 cms



Height - 90.0 cms



Height - 77.5 cms



Height - 91.5 cms



Jedi PAC 22	Jedi PAC 35		Marvel Neo 40
150	150		150
Blower	Blower		Blower
130	130		165
22	35		40
1200	1200		1300
Manual	Manual		Manual
NA	NA		NA
Yes	Yes		NA
NA	NA		No
Yes	Yes		Yes
NA	NA		NA
NA	NA		Yes
NA	NA		Yes
Honeycomb Pads	Honeycomb Pads		High Density Honeycomb Pads
L - 400 W - 290 H - 725 (in mm)	L - 400 W - 290 H - 852 (in mm)		



**SmaMarket**  
The ESD Marketplace  
[www.smarket.in](http://www.smarket.in)

Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change

## OPTIMUS NEO 27



27

litres capacity

1350

m<sup>3</sup>/hr air delivery

160

sq.ft area coverage

High Density  
Honeycomb Pads

Length : 340

Width : 370

Height : 980  
(in mm)



**EverLast Pump**  
Works even with hard water



**Auto-Fill**  
For continuous  
water feed



**4 Way Air Deflection**  
For adjusting air stream  
direction as per your need



**Easy Clean  
Ice Chamber**  
For convenience & hygi



**Smaṛket**  
The 500 Marketers  
[www.smaṛket.in](http://www.smaṛket.in)

## OPTIMUS NEO 35



35

litres capacity

1350

m<sup>3</sup>/hr air delivery

160

sq.ft area coverage

High Density  
Honeycomb Pads

Length : 425  
Width : 380  
Height : 1085  
(in mm)



**EverLast Pump**  
Works even with hard water



**Auto-Fill**  
For continuous  
water feed



**4 Way Air Deflection**  
For adjusting air stream  
direction as per your need



**Easy Clean  
Ice Chamber**  
For convenience & hygi



**SmaMarket**  
The ESD Marketplace  
[www.smarket.in](http://www.smarket.in)

# OPTIMUS NEO 35I



## 35

litres capacity

## 1350

m<sup>3</sup>/hr air delivery

## 160

sq.ft area coverage

High Density  
Honeycomb Pads

Length : 425

Width : 380

Height : 1085  
(in mm)



### Digital Operations

For convenience and ease of use



### EverLast Pump

Works even with hard water



### Auto-Fill

For continuous  
water feed



### 4 Way Air Deflection

For adjusting air stream  
direction as per your need



### Easy Clean Ice Chamber

For convenience & hygiene



**Smaṛket**

The 500 Marketers  
[www.smaṛket.in](http://www.smaṛket.in)

## OPTIMUS NEO 52



52  
litres capacity

1350  
m<sup>3</sup>/hr air delivery

160  
sq.ft area coverage

High Density  
Honeycomb Pads

Length : 365  
Width : 395  
Height : 1325  
(in mm)



**EverLast Pump**  
Works even with hard water



**Auto-Fill**  
For continuous  
water feed




**4 Way Air Deflection**  
For adjusting air stream  
direction as per your need



**Easy Clean  
Ice Chamber**  
For convenience & hygiene

## SCALE COMPARISON CHART

## TOWER COOLERS



Height - 98 cms



Height - 108.5 cms




Parameters	Optimus Neo 27	Optimus Neo 35
Suitable Room Size (sq.ft)	160	160
Blower / Fan	Blower	Blower
Wattage (W)	130	130
Tank Capacity (L)	27	35
Air Delivery (m <sup>3</sup> / hr)	1350	1350
IOT / Digital / Manual Operation	Manual	Manual
Remote Control	NA	NA
Ice Chamber	Yes	Yes
Easy Access Distribution Tray	Yes	Yes
Everlast Pump	Yes	Yes
Auto Fill	Yes	Yes
Mosquito Nets	Yes	Yes
Fully Collapsible Louvers	Yes	Yes
Cooling Media	High Density Honeycomb Pads	High Density Honeycomb Pads
Product Dimensions	L - 340 W - 370 H - 980 (in mm)	

Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change.

## SCALE COMPARISON CHART

### TOWER COOLERS



Height - 108.5 cms



Height - 132.5 cms



Optimus Neo 35i	Optimus Neo 52
160	160
Blower	Blower
130	130
35	52
1350	1350
Digital	Manual
Yes	NA
Yes	Yes
Yes	Yes
Yes	Yes
Yes	Yes
Yes	Yes
Yes	Yes
Yes	Yes
High Density Honeycomb Pads	High Density Honeycomb Pads
L - 425 W - 380 H - 1085 (in mm)	



**Smaṛket**  
The 500 Marketers  
[www.smaṛket.in](http://www.smaṛket.in)

Images of the products are for illustrative purposes only and may vary from actual product. Product is tested under lab conditions, product specifications are subject to change.



## ZELUS WAC 54

Better Performance With  
Bearing Motor



54

litres capacity

1700

m<sup>3</sup>/hr air delivery

200

sq.ft area coverage

Woodwool  
Cooling Pads

Length : 645

Width : 570

Height : 560

(in mm)



**Motor with Overload  
Protection**

For safety of  
motor and pump



**4 Way Air Deflection**

For adjusting air stream  
direction as per your need



**Smaṛket**

The 500 Marketers

[www.smaṛket.in](http://www.smaṛket.in)

## OPTIMUS WAC 70

Better Performance With  
Bearing Motor



70

litres capacity

5500

m<sup>3</sup>/hr air delivery

650

sq.ft area coverage

Woodwool  
Cooling Pads

Length : 685

Width : 670

Height : 845  
(in mm)



**EverLast Pump**  
Works even with hard water



**Motor with Overload Protection**  
For safety of motor and pump




**4 Way Air Deflection**  
For adjusting air stream direction as per your need



**SmaMarket**  
The ESD Marketplace  
[www.smarket.in](http://www.smarket.in)

# SCALE COMPARISON CHART

## WINDOW COOLERS



Height - 56 cms



Height - 84.5 cms



Parameters	Zelus WAC 54	Optimus WAC 70
Suitable Room Size (sq.ft)	200	650
Blower / Fan	Blower	Fan
Wattage (W)	200	200
Tank Capacity (L)	54	70
Air Delivery (m <sup>3</sup> / hr)	1700	5500
IOT / Digital / Manual Operation	Manual	Manual
Remote Control	NA	NA
Ice Chamber	NA	Yes
Metal Trolley	Optional	Yes
Everlast Pump	NA	Yes
Auto Fill	Yes	NA
Mosquito Nets	NA	NA
Fully Collapsible Louvers	NA	Yes
Cooling Media	Woodwool Pads	Woodwool Pads
Product Dimensions	L - 645 W - 570 H - 560 (in mm)	

Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change.



**SmaMarket**  
The ESD Marketplace  
[www.smarket.in](http://www.smarket.in)

Cooling nahi,  
*jaldi cooling*

## INDIBREEZE COOLERS

Indibreeze Coolers are also called as Industrial coolers, crafted by considering the needs of consumers for extra large rooms like gathering halls, poolside areas and restaurants. Indibreeze is available in 135L with 18.5 inch metal fan blade and 8500 m<sup>3</sup>/hr air delivery that makes for a more promising cooler while 95L is with 17 inch metal fan blade and 6500 m<sup>3</sup>/hr air delivery. Heavy duty caster wheels provides easy manoeuvrability, large surface area of honeycomb pads provide high cooling efficiency and the autofill feature in the tank help to avoid spillage of water on the floor. Fully collapsible louvers in 95L help to avoid mosquito or insects entry. Inverter compatibility of Industrial cooler works well when there is power cut off.

### List of Features:

- Highest air delivery with 18.5" metal fan in 135L
- Highest air delivery with 17" metal fan in 95 L
- Everlast pump- works with hard water
- Large honey comb pad for high cooling efficiency
- Auto fill
- Prolonged cooling
- Fully collapsible louvers
- Motor with overload protection
- Inverter compatibility
- 1 Year warranty





# INDIBREEZE DAC 95

Better Performance With  
Bearing Motor



95

litres capacity

6500

m<sup>3</sup>/hr air delivery

770

sq.ft area coverage

Honeycomb  
Pads

Length : 780

Width : 500

Height : 1435  
(in mm)



#### EverLast Pump

Works even with hard water



#### Auto-Fill

For continuous water feed



#### Motor with Overload Protection

For safety of motor and pump



#### 4 Way Air Deflection

Four leaf with 17.5 inch metal blade



#### Heavy Duty Caster Wheels



**SmaMarket**

The 500 Marketers

[www.smarketindia.in](http://www.smarketindia.in)

# INDIBREEZE DAC 135



135

litres capacity

8500

m<sup>3</sup>/hr air delivery

1000

sq.ft area coverage

Honeycomb  
Pads

Length : 865

Width : 650

Height : 1480

(in mm)



#### EverLast Pump

Works even with hard water



#### Auto-Fill

For continuous water feed



#### Motor with Overload Protection

For safety of motor and pump



#### 4 Way Air Deflection

Four leaf with 17.5 inch metal blade



#### Heavy Duty Caster Wheels



**SmaMarket**

The B2B Marketplace

[www.smarket.in](http://www.smarket.in)



**Smaṛket**


The ESD Marketplace

[www.smaṛket.in](http://www.smaṛket.in)



## SCALE COMPARISON CHART

## INDUSTRIAL COOLERS



Height - 143 cms



Height - 148 cms



Parameters	Indibreeze DAC 95	Indibreeze DAC 135
Suitable Room Size (sq.ft)	770	1000
Blower / Fan	Fan	Fan
Wattage (W)	280	315
Tank Capacity (L)	95	135
Air Delivery (m <sup>3</sup> / hr)	6500	8500
IOT / Digital / Manual Operation	Manual	Manual
Remote Control	NA	NA
Ice Chamber	NA	NA
Easy Access Distribution Tray	NA	NA
Everlast Pump	Yes	Yes
Auto Fill	Yes	Yes
Mosquito Nets	NA	NA
Fully Collapsible Louvers	Yes	NA
Cooling Media	Honeycomb Pads	Honeycomb Pads
Product Dimensions	L - 780 W - 500 H - 1435 (in mm)	L - 845

Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change.





**CROMPTON GREAVES  
CONSUMER ELECTRICALS LIMITED**

REGISTERED OFFICE:

Equinox Business Park, 1st Floor, Tower 3,  
LBS Marg, Kurla (W), Mumbai 400 070  
INDIA

[www.crompton.com](http://www.crompton.com)

Customer Service:

Helpline: 1800-419-0505

Whatsapp: 7428713838

Email: [consumer.support@crompton.co.in](mailto:consumer.support@crompton.co.in)

