Crompton

Perfect Hot Water for Perfect Care of your Loved Ones




-BATH MODES-











Crompton





Its state of the art manufacturing units are located in Goa,
Vadodara, Ahmednagar and Baddi. With 1,50,000 plus
retail points, Crompton aims to establish a positive
connect across India through its superior product range.

Experts at its R & D center innovate continuously to enhance convenience by delivering functional product range with stringent quality processes and certification of BEE and ISI.

We have a service network of 365+ touch points to give seamless service throughout the country.







Crompton

HOW TO CHOOSE YOUR WATER HEATER

Key things you should know when selecting your water heaters

What should be the capacity of the water heater?

The capacity of the water heater depends on the kind of usage:





Bathing – bucket



Pleasant weather

 3_{Members}

1-3L

Suggested Capacity

Instant Water Heater



Washing utensils



Cold weather

6 Member

1-3L

Storage Water Heater





Bathing - Shower



Pleasant weather

4_{Members}

6L Suggested Capacity

Storage Water Heater



Bathing – bucket



Cold weather

 3_{Members}

10–15L





WHY CHOOSE CROMPTON WATER HEATER?

Crompton Care series is recommended by safe health - A global health organisation, which practices & promotes healthy, natural, clean, high quality products.







BABY CARE



HAIR CARE



HYGIENE CARE



1ST TIME IN INDUSTRY CERTIFIED BY PANEL OF EXPERT DOCTORS.




STORAGE WATER HEATER

POWERFUL HEATING ELEMENT

Comes with a 1200 gm superior heating element that provides faster heating to give you perfect hot water in 10 mins.

SUPERIOR GLASSLINE TANK COATING •

Excellent corrosion resistance ensured by superior glassline coating that ensures durability and longevity of the tank.



SMART SHIELD CORROSION PROTECTION

Crompton's water heaters come with a specially designed sacrificial magnesium anode rod that is designed to protect the inner tank from corrosive elements thus enhancing life of the product.



SUITABLE FOR HIGH-RISE BUILDINGS

High pressure rating and the use of multi-function valve in our models makes our water heaters withstand up to 10 bar pressure, and makes them suitable for high-rise buildings.



5 - STAR RATED ENERGY EFFICIENT

Crompton's 5 Star rated energy efficient water heaters help in reducing your electricity bill substantially.



SMART ENERGY MANAGEMENT

Smart design with Standby cut off that consumes less electricity.



ADVANCED 3 - LEVEL SAFETY

Crompton Water Heaters have advanced 3-level safety that keeps all parameters in check for protection against electric shocks and auto-off function in case of malfunction.



TRIPLE SHIELD PROTECTION

The glass line coated tank, Magnesium Anode, and blue glass lined incoloy element protects the water heater from corrosion oxidation and scaling, thereby giving a longer life.





SOLARIUM QUBE IOT

Available in 15L, 25L



Remotely controlled by Mobile App



Smart scheduler



Digital temperature
Display



Smart Energy Management



Bathing modes
For ease of use



Powerful heating



Pre-set timer



Smart shield
Corrosion protection



Auto standby



Smart color-changing LED indicator



Superior safety system



Nano polybond Technology



Energy saving In-Situ PUF



Rust & Shockproof body

WARRANTY

7yrs

2yrs Element 2yrs
Product



Scan the QR code to download MyCROMPTON app Works on Android as well as IOS





SMART HOME INTEGRATION









SOLARIUM CARE

Available in $\,$ 6L, $\,$ 10L, $\,$ 15L, $\,$ 25L $\,$



Customised Bath Modes



Powerful heating



Superior glassline coating



Advanced 3 level safety



Energy saving Insitu PUF



Smart shield corrosion protection

WARRANTY

7yrs

3yrs
Element

2yrs
Product







recommended by **PANEL OF EXPERT DOCTORS**

CUSTOMISED BATHING MODES



Unique temperature setting that prevents accidental hot water scalds or burns in babies and is ideal for their skin.



Unique temperature setting that is best for massaging the scalp with shampoo to get the excess dirt and oil off your hair and thus ensuring a relaxing hath for your hair.



temperature
setting that
kills bacteria and
viruses inside the
water and delivers
germ free water
for your loved ones.



SOLARIUM NEO

Available in 6L, 10L, 15L, 25L



Superior glassline coating



Powerful incoloy heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

7yrs

3yrs
Element

2yrs
Product











10 Bar pressure



Smart Energy

SOLARIUM EVO

Available in 10L, 15L, 25L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF




Temperature control knob

WARRANTY

7yrs

2yrs Element 2yrs Product







Rust proof plastic body



8 Bar pressure



manage



SOLARIUM QUBE

Available in 10L, 15L, 25L



Nano poly bond technology



Powerful heating



Color-Changing LED Indicator



Advanced 3 level safety



Energy saving Insitu PUF



Smart shield corrosion protection

WARRANTY

7yrs

2yrs
Element

2yrs
Product











8 Bar pressure



Smart Energy

RAPIDJET PLUS

Available in 6L - 2kW & 3kW



Nano poly bond technology



Powerful heating element



Smart shield corrosion protection



Advanced
3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

5yrs
Tank

2yrs
Element





VERSA













WARRANTY

7yrs

2yrs
Element











plastic body

pressure

management

REGERA

Available in 10L, 15L, 25L













WARRANTY

7yrs

2yrs









AMICA

Available in 10L, 15L, 25L



Nano poly bond technology



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

7yrs

2yrs
Element

2yrs
Product











Powder coated rust proof body

8 Bar pressure

Smart Energy management

HYDRA JET

Available in 10L, 15L, 25L



Superior glassline coating



Powerful heating



Smart shield corrosion protection



Advanced
3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

5yrs
Tank

2yrs
Element





ARNO SUPREMUS

Available in 10L, 15L, 25L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

5yrs

2yrs
Element

2yrs











8 Bar



Smart Energy

CLASSIC

Available in 6L, 10L, 15L, 25L



Nano poly bond technology



Powerful heating



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



LED indicator for ease of use

WARRANTY

5yrs Tank 2yrs
Element





RADIANT DLX

Available in 35L, 50L



Superior glassline coating



Powerful heating



Smart shield corrosion protection



Advanced 3 level safety



Hi-Precision thermal stem cut-out



Temperature Control Knob

WARRANTY

5yrs

2yrs
Element

2yrs
Product











8 Bar pressure



Smart Energy

ARNO NEO

Available in 35L, 50L



Nano poly bond technology



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Temperature dial indicator



Temperature Control Knob

WARRANTY

7yrs
Tank

2yrs
Element





CLASSIC HORIZONTAL

Available in 10L, 15L



Nano poly bond technology



Smart Shield
Corrosion Protection



8 Bar Pressure



Smart energy management



Energy Saving Insitu PUF



LED Indicator
For Ease Of Use

WARRANTY

5yrs

2yrs
Element

2yrs Product











Powder coated rust -proof metal body



Advanced 3 level safety

FREE INSTALLATION

VERSA HORIZONTAL

Available in 10L, 15L, 25L



Superior glassline coating



Smart Shield
Corrosion Protection



8 Bar Pressure



Smart energy management



Energy Saving Insitu PUF



Temperature Control Knob

WARRANTY

7yrs
Tank

3yrs Element

2yrs
Product





Sleek and compact design



VersaHZ

Rust proof plastic body







SOLARIUM VOGUE

Available in 3L-3KW



High grade SS tank for long life



Powerful heating



Color Changing LED Indicator



Advanced 4 level safety



Rust & Shock Proof ABS body



Anti Siphon Protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product







Crompton

6.5 Bar Pressure



Elegant & stylish design

RAPIDJET PLUS

Available in 3L- 3KW



High grade SS tank for long life



Powerful heating element



LED indicator for



Advanced 4 level safety



Rust & shock proof body



Anti Siphon Protection

WARRANTY

5yrs

2yrs Element



HYDRA JET

Available in 3L-3KW



High grade SS tank for long life



Powerful heating



LED indicator for ease of use



Advanced 4 level



Rust and shock proof body



Anti Siphor Protection

WARRANTY

5yrs

2yrs
Element

2yrs
Product







HydraJet

6.5 Bar Pressure



Elegant & stylish design

INSTA JET

Available in 3L-3KW



High grade SS tank for long life



Powerful heating element



LED indicator for



Advanced 4 level safety



Rust and shock proof body



Anti Siphon Protection

WARRANTY

5yrs

2yrs Element





ISI marked for added safety



6.5 Bar Pressure



ylis Sm:

SOLARIUM NEO

Available in 3L-3KW



High grade SS tank for long life



Powerful heating element



LED indicator for ease of use



Advanced 4 level safety



Rust and shock proof body



Anti Siphon Protection

WARRANTY

5yrs

2yrs
Element

2yrs







Crompton

6.5 Bar Pressure



Elegant & stylish design

RAPID JET

Available in 1L-3KW & 4.5KW, 3L-3KW & 4.5 KW



High grade SS tank for long life



Powerful heating element



LED indicator for ease of use



Advanced 4 level safety



Rust and shock proof body



Anti Siphon Protection

WARRANTY

5yrs Tank

2yrs Element

2yrs
Product





ISI marked for added safety



6.5 Bar





RAPID JET 5L

Available in 5L



High grade SS tank for long life



Powerful heating element



LED indicator for ease of use



Advanced 4 level safety



Rust and shock proof body



Anti Siphon Protection

WARRANTY

5yrs

2yrs
Element

2yrs
Product





r Elegant & re stylish desig

Perfect Hot Water

Crompton

RAPID A

within 2mins*

*tested under standard lab conditions

SOLARIUM NEO 5L

Available in 5L



High grade SS tank for long life



Powerful heating element



LED indicator for ease of use



Advanced 4 level safety



Rust and shock proof body



Anti Siphon Protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs Product

Perfect Hot Water within 2mins* Crempton 6.5 Bar Pressure Elegant & stylish design *tested under standar





RAPIDJET PRO

Available in 5.5kW



Rust Proof Plastic Body



Powerful heating



Triple Power Mode



Splash Proof



Overheat & Dry Heat Protection



Temperature Control Knob



Perfect Hot Water

for all seasons





FREE INSTALLATION

Compact &

WARRANTY

2yrs
Product

RAPIDJET ROYALE

Available in 5.5kW



Customised Bath Modes



Dual Heating Flement



Display



Built in ELCB



Overheat & Dry Heat Protection



Stepless Electric Control

WARRANTY





AGWH 5000

Available in 4.6L



Over Heat Protection



20 Minutes Gas Flow Cut-Off Timerer



Summer & winter burner selection



Automated Double ignition system



ISI Approved



Child Lock Safety



Flame Out Protection



PRV High water Pressure protection



Flue duct to avoiding smoke scaling, blockage and dry heating



Pure copper heat exchanger

WARRANTY

2yrs
Product





Extra Protection with Double Solenoid Valve



85% heating efficiency





IHL 201 & 251

Available in 1000W . 1500W



Shock proof plastic handle with IP68 protection



Heating element with longer life



Light-Weight



Powerful pure copper heating element



Water Level Indicator



ISI approved

IHL 201



IHL 251



WARRANTY

2yrs
Product

IHL (102/104/152/ 154)

Available in 1000 W & 1500 W



Shock proof
Bakelite handle



Neon Lamp Indicator



Light-Weight



Heating Element with Longer Life



Water Level Indicator



powerful pure coppe heating element



Product



ISI approved



IHL 402/ 452

Available in 1000 W & 1500 W



Shock proof Bakelite handle



Neon Lamp Indicator



Light-Weight



Heating Element with Longer Life



Water Level Indicator



powerful pure copper heating element



ISI approved



IHL 402/452





WARRANTY

2yrs

Product



WATER HEATER PRODUCT SPECIFICATION

SERIES		STORAGE											
PRODUCT		CLASSIC	ARNO SUPREMUS	HYDRA JET	AMICA	VERSA	REGERA	RAPID JET PLUS	SOLARIUM QUBE	SOLARIUM EVO	SOLARIUM NEO	SOLARIUM QUBE IOT	
ADVANCE FEATURES													
Pressure Rating	Safety Valve	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	10 Bar	8 BAR	
TANK	MS_Glassline Coating												
	MS_ Polymer Coating	V			√								
	SS												
Heating Element	Incoloy + GL Coating												
	Copper + Ni Coating	V			√								
Thermostat (Auto)	Advance Microproceser											√	
	High precision Capillary				V								
	Stem Mechnical	V											
Temp Control Mode	Temp Adjustable Knob				√								
	Touch Sensor												
Thermal Cut_off	High precision Capillary	√			√								
	Stem Mechnical												
	Mechanical - Disc												
Anode Rod	Mg0	V			V								
Mounting	Position on Wall	Vertical			Vertical								
	BEE /ISI	4 Star			5 Star								
SPECIFICATIONS													
Power (W)		2000 W	2000 W	2000 W	2000 W	2000 W	2000 W	2000W/3000W	2000 W	2000 W	2000 W	2000 W	
Capacity (Liters)		6L, 10L, 15L, 25L	10L, 15L, 25L	10L, 15L, 25L	10L, 15L, 25L	6L, 10L, 15L, 25L	10L, 15L, 25L	6L	10L, 15L, 25L	10L, 15L, 25L	6L, 10L, 15L, 25L	15L , 25L	
Reheating Time (max)		12 Min - 6L , 18 Min - 10L , 28 Min - 15L , 45 Min - 25L , 85 Min - 35L , 105 Min - 50L											
AESTHETICS													
Color		White			White								
Body		Plastic + Sheet Metal	Plastic + Sheet Metal		Plastic + Sheet Metal	Plastic	Plastic + Sheet Metal	Plastic			Plastic		
WARRANTY													
Tank		5	5	5	7	7	7	5	7	7	7	7	
Heating Element		2	2	2	2	2	2	2	2	2	3	2	
Product		2	2	2	2	2	2	2	2	2	2	2	
Dimensions (in mm)		275 × 290 × 330 - 06L 315 × 330 × 362 - 10L 315× 330 × 462 - 15L 360× 375 × 542 - 25L	340 x 365 x 380 - 10L 340 x 365 x 490 - 15L 360 x 375 x 545 - 25L	325 x 345 x 420 -10L 365 x 385 x 455 - 15L 365 x 385 x 565 - 25L	300 x 325 x 445 - 10L 360 x 360 x 490 - 15L 350 x 370 x 595 - 25L	280 x 300 x 355 -06L 335 x 360 x 380 -10L 335 x 360 x 495 - 15L 380 x 405 x 545 - 25L	320 x 340 x 425 - 10L 365 x 385 x 465 - 15L 365 x 385 x 600 - 25L	335 X 275 X 310 - 06L 2KW 335 X 275 X 310 - 06L 3KW	355 x 340 x 355 - 10L 400 x 390 x 420 - 15L 465 x 390 x 495 - 25L	390 X 280 X 415 - 10L 390 X 350 X 415 - 15L 460 X 390 X 490 - 25L	270 x 290 x 370 - 06L 310 X 290 X 460 - 10L 310 x 290 x 490 - 15L 370 x 380 x 610 - 25L	400 x 390 x 405 - 15L 465 x 390 x 495 - 15L	
Net Weight (in Kgs)		5.2 Kg - 06L 6.2 Kg - 10L 7.8 Kg - 15L 9.5 Kg - 25L	7.6 Kg - 10L 9.5 Kg - 15L 11.7 Kg - 25L	7.19 Kg - 10L 8.75 Kg - 15L 10.80 Kg - 25L	6.65 Kg - 10L 8.25 Kg - 15L 10 Kg - 25L	5.5 Kg - 06L 6.65 Kg - 10L 8.25 Kg - 15L 10 Kg - 25L	7.7 Kg - 10L 9.2 Kg - 15L 11.3 Kg - 25L	5.5 Kgs-06L 2KW 5.67 Kgs - 06L 3KW	6.87 - 10L 8 Kg - 15L 10 Kg - 25L	8.05 Kg- 10L 8.95 Kg - 15L 11.7 Kg - 25L	5.79 Kgs - 6L 7.38 Kgs - 10L 9.28 Kgs - 15L 13.10 Kgs - 25L	8 Kgs - 15L	
										are reference purpose			

WATER HEATER PRODUCT SPECIFICATION

SERIES		STORAGE		INSTANT							TANKLESS		HORIZONTAL	
PRODUCT		RADIANT DLX	ARNO NEO	RAPIDJET	SOLARIUM NEO	INSTA JET	HYDRA JET	RAPIDJET PLUS	SOLARIUM VOGUE	RAPIDJET PRO	RAPIDJET ROYALE	CLASSIC HZ	VERSA HZ	
ADVANCE FEATURES														
Pressure Rating	Safety Valve	8 BAR	8 BAR	6.5 BAR	6.5 BAR	6 . 5 BAR	6 BAR	6 . 5 BAR	6 . 5 BAR	6 BAR	6 BAR	8 BAR	8 BAR	
TANK	MS_Glassline Coating													
	MS_ Polymer Coating	√										V		
	SS			V	V	√		V	V					
Heating Element	Incoloy + GL Coating													
	Copper + Ni Coating	V				V			V			V		
Thermostat (Auto)	Advance Microproceser													
	High precision Capillary	V												
	Stem Mechnical			V		V		V	V			V		
Temp Control Mode	Temp Adjustable Knob	V												
	Touch Sensor													
Thermal Cut_off	High precision Capillary	V	V											
	Stem Mechnical					V			V			V		
	Mechanical - Disc													
Anode Rod	Mg0	V	V									V		
Mounting	Position on Wall	Vertical							Vertical			Horizontal	Horizontal	
	BEE /ISI	5 Star	3 Star	ISI	ISI	ISI	ISI	ISI	ISI			3 Star	3 Star	
SPECIFICATIONS														
Power (W)		2000 W	2000 W	3000 W/ 4500 W	3000 W	3000 W	3000 W	3000 W	3000 W	5500 W	5500 W	2000 W	2000 W	
Capacity (Liters)		35L , 50L	35L, 50L	1L, 3L, 5L	3L, 5L	3L		3L	3L			10L, 15L	10L, 15L, 25L	
Reheating Time (max)							12 Min - 6L , 18 M	lin - 10L , 28 Min - 15L	, 45 Min - 25L , 85 Min					
AESTHETICS														
Color		Grey	Grey	White	White	White		White	White	White	Black	White		
Body		Plastic	Plastic + Sheet Metal			Plastic			Plastic			Plastic + Sheet Metal	Plastic	
WARRANTY														
Tank		5	7	5	5	5		5	5	-	-	5		
Heating Element		2	2	2	2	2		2	2			2		
Product		2	2	2	2	2		2	2			2		
Dimensions (in mm)			L 400 x 418 x 595 - 35L L 400 x 418x 782 - 50L	205 x 212 x 405 - 5L 205 x 190 x 365 - 3L 170 x 165 x 320 - 1L	210 x 210 x 430 - 5L 190 x 190 x 385 - 3L		190 x 185 x 375					300 x 312 x 424 - 10L	320 x 325 x 490 - 10L 320 x 325 x 600 - 15L 320 x 325 x 880 - 25L	
Net Weight (in Kgs)		14.4 Kg - 35L 16.8 Kg - 50L	11.6 Kgs - 35L 14.33 Kgs - 50L	3.06 Kg - 5L 2.5 Kg - 3L 2.0 Kg - 1L	2.8 Kg - 5L 2.7 Kg - 3L	2.5 Kg- 3L	2.4 Kg-3L	2.55 Kg- 3L	2.8 Kgs - 3L			7.18 Kg - 10L 8.16 Kg - 15L 12.3kg - 25L	8.4 Kgs - 10L 10.0 Kgs - 15L	
										**!	6	v (subject to change a	- 46	

Crompton

CUSTOMER SERVICE

In Crompton, through our commitment to service, we aim to exceed expectations and get rewarded with a smile. Our after-sales service team is dedicated to deliver excellent services and meet unique customer needs.



Crompton service executive will schedule a service appointment within 24 hours of your calling to our toll-free number **1800-419-0505.**



Once the service appointment is fixed, our qualified and trained Crompton service technician will visit & your product problem will be resolved within 24 to 48 Hours.



All india whatsapp helpline number **7428713830** with 24 hours open **chat bot** access.



Scan QR for registration of warranty, installation, and services on our website in seconds.

Easy & Interactive | Instant Complaint Registration | Seamless Experience

CROMPTON GREAVES CONSUMER ELECTRICALS LIMITED

Registered Office:

Equinox Business Park, 1st Floor, Tower 3, LBS Marg, Kurla (W), Mumbai-400 070, India

Disclaimer – While every effort has been taken to ensure that all specifications and description are correct, this brochure should not be regarded infallible guide not as an offer of sales for a particular product. Due to variables in production process, colours of actual products may vary slight from those depicted. Model numbers and specifications are for reference only, may subject to change without prior not Free installation on select models of water heater and select locations only.

